

Certificate of Analysis

Powered by Confident Cannabis 1 of 1

DBG

4225 38th St SW Fargo, ND 58104 paulb@northlandvapor.com (701) 866-0836

Sample: 2306AIT0335.0824

Strain: Grape Ape Batch#:; Batch Size: g Sample Received: 06/15/2023; Report Created: 06/16/2023

DBG Delta-10 Cartridge

Concentrates & Extracts, Vape



<loq< th=""><th>0.682 %</th><th>86.435%</th></loq<>	0.682 %	86.435%
Total THC	Total CBD	Total Cannabinoids

Cannabinoids Date Tested: 06/16/2023

Analytes	%	mg/g	LOQ	
СВС	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001	
CBD	0.682	6.824	0.001	
CBDa	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001	
CBDV	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001	
CBG	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001	
CBGa	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001	
CBL	12.519	125.192	0.001	
CBN	0.866	8.663	0.001	
∆8-THC	72.367	723.673	0.001	
Δ9-THC	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001	
THCa	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001	
THCVa	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001	
Method: HPLC Total Cannabinoids represents the sum of all cannabinoids in the table above.				

Total Cannabinoids represents the sum of all cannabinoids in the table above.

Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids % LOQ = Limit of Quantitation

Summary

Total THC = THCa * $0.877 + \Delta 9$ -THC Total CBD = CBDa * 0.877 + CBD

4150 98th Ave S **Confident Cannabis** A THE EMERALD TEST" Fargo, ND All Rights Reserved SO/IEC 17025 **ac-MRA** (888) 897-4367 (866) 506-5866 John Schmidt www.hempinspection.com PJLA

Analytical Chemist This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certicate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division – Chapter 333-007-0320, effective 11/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.