

# **Certificate of Analysis**

Powered by Confident LIMS 1 of 1

## Adult Candy Co.

115 8th St S Moorhead, MN 56560

## Sample: 2503AIT0281.0523

Strain: N/A Batch#:; Batch Size: g Sample Received: 03/19/2025; Report Created: 03/21/2025

### DBG 3-Cart Blister Pack

Concentrates & Extracts. Distillate



DBG	0.871%	<loq< th=""><th>82.688%</th></loq<>	82.688%
	Total THC	Total CBD	Total Cannabinoids

#### Cannahinoids Date Tested: 03/21/2025

Analytes	%	mg/g	LOQ
CBC	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBD	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBDa	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBDV	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBG	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBGa	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBL	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBN	0.221	2.210	0.001
∆8-THC	81.595	815.951	0.001
Δ9-THC	0.871	8.714	0.001
THCa	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
THCVa	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001

 $\begin{array}{c} \text{Method: HPLC} \\ \text{Total THC = THCa * 0.877 + } \Delta 9\text{-THC} \\ \text{Total CBD = CBDa * 0.877 + } CBD \\ \text{Summary} \end{array}$ 

Total Cannabinoids represents the sum of all cannabinoids in the table above. Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids % LOQ = Limit of Quantitation

4150 98th Ave S Fargo, ND (888) 897-4367 www.hempinspection.com

THE EMERALD TEST"



Confident LIMS All Rights Reserved **ac-MRA** (866) 506-5866

Measurement Uncertainty is not used for pass/fail conditions but available upon request.